

Kleen-Plus®


LIGHT COMMERCIAL TOP MOUNT VALVE WATER SOFTENERS

WHAT IS WATER HARDNESS?

Water hardness is measured chemically, by the amount of calcium bicarbonate and magnesium bicarbonate content in the water sample. Together, the sum of these two represent what is termed the "Total Hardness" or TH. The common unit for measuring water hardness is parts per million (ppm)


HOW DOES SOFTENING WORK?

The water is softened by a process called ion exchange. This process relies on the replacement of calcium and magnesium ions, for a chemically equal number of sodium ions. Salt is used as a regenerant to make the exchange resin ready to exchange sodium for hardness ,and to continue to deliver softened water.



SPECIFICATIONS					
MODEL	A DIA (mm)	B OH (mm)	C BED DEPTH (mm)	PEAK FLOW (LPM)	CONT. FLOW (LPM)
948	230	1450	700	45	35
1054	260	1650	800	60	45
1252	300	1600	800	75	55
1465	360	1850	800	100	75
1865	450	1850	800	130	100

As each system is tailored to suit the particular application, unit sizes will be confirmed upon receiving water quality data and required duties



Anthony Preston Ltd Po Box 38-106 Howick, Phone (09) 534 5127, Fax (09) 535 6353