

Kleen-Plus®

THE CWS (Cabinet Water Softener) WATER CONDITIONING SYSTEM



SPECIFICATIONS			
SPEC	618	735	1035
Continuous flow (lpm)	20	20	40
Peak Flow (lpm)	30	30	60
Capacity m³ (1)	4	8	20
Backwash (lpm)	6	6	6
Overall Height (mm) Cabinet Width (mm)	710 320	1150 320	
Cabinet Depth (mm)	530	530	
Min. Pressure (bar)	1.5	1.5	
Max. Pressure (bar)	8.0	8.0	
(4) 0-2			

⁽¹⁾ Capacity based on water with hardness of 100ppm

FEATURES

■ ELECTRONIC DEMAND REGENERATION

CONTROL (specify when ordering) Initiates regeneration only when needed. This means savings in excess of 50% of the salt and 45% of the water used for regeneration

☑ SUPERIOR EFFICIENT DESIGN

One-piece Noryl body for maximum strength and least potential for leakage

☑ FEWER PARTS

Valve incorporates absolute minimum number of sealing members to ensure reliable, troublefree performance and has fewer parts than any other control of comparable function

- LARGEST UNRESTRICTED FLOW RATES
 Of any control of comparable design
- THE MOST ADVANCED ELECTRONIC DESIGN TIMER

Electronic timer that is programmable to adjust to the demands of all the water systems and user needs

☑ QUALITY CONSTRUCTION

Durable construction resists rust and deterioration. High capacity resin beds are full and consistent in size, reducing pressure loss.

BENEFITS

- ☑ Conditioned water prevents soap curds, leaving clothes brighter, cleaner, and softer. Fabrics last longer and less detergent is necessary
- ☑ Conditioned water is free from contaminants that may affect the taste of drinking water. It also prevents spots on your dishes, glassware and silverware
- ☑ Conditioned water will prevent heavy deposits and films on bath, tub, shower door, and tile surfaces
 - ☑ Saves on Soaps
 - ☑ Saves on Detergents
 - ☑ Saves on Energy bills
 - ☑ Saves on costly appliance repairs

ORDERING INFORMATION:

SERIES CWS MODEL #

1035

Model # from Chart Above

VALVE TYPE
T

T: Timeclock initiation **E:** Fully Electronic initiation

=

APL PART #
CWS1035T

2.11